

date	site	id	analyte	concentration	rl	unit	prep_date	analysis_date
2/15/2024	vfw	221798372	Aluminum	0.17		0.042 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Antimony	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Arsenic	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Barium	0.01		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Beryllium	<0.0004	4.00E-04	ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Cadmium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Chromium	<0.042		0.042 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Cobalt	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Copper	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Lead	2.00E-03		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Manganese	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Molybdenum	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Nickel	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Selenium	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Silver	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Thallium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Thorium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Uranium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Vanadium	<0.021		0.021 ug/m3	3/26/2024	3/26/2024
2/15/2024	vfw	221798372	Zinc	<0.042		0.042 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Aluminum	9.10E-02		0.042 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Antimony	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Arsenic	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Barium	5.00E-03		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Beryllium	<0.0004	4.00E-04	ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Cadmium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Chromium	<0.042		0.042 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Cobalt	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Copper	1.20E-02		0.01 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Lead	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Manganese	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Molybdenum	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Nickel	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Selenium	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Silver	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Thallium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Thorium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Uranium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Vanadium	<0.021		0.021 ug/m3	3/26/2024	3/26/2024
2/17/2024	vfw	221798353	Zinc	<0.042		0.042 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Aluminum	0.25		0.21 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Antimony	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Arsenic	1.10E-02		0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Barium	1.10E-02		0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Beryllium	<0.0004	4.00E-04	ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Cadmium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Chromium	<0.042		0.042 ug/m3	3/26/2024	3/26/2024

2/20/2024	vfw	221798349	Cobalt	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Copper	0.21	0.01 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Lead	0.02	0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Manganese	1.40E-02	0.01 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Molybdenum	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Nickel	5.00E-03	0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Selenium	<0.010	0.01 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Silver	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Thallium	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Thorium	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Uranium	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Vanadium	<0.021	0.021 ug/m3	3/26/2024	3/26/2024
2/20/2024	vfw	221798349	Zinc	0.28	0.21 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Aluminum	8.70E-02	0.042 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Antimony	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Arsenic	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Barium	4.00E-03	0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Beryllium	<0.0004	4.00E-04 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Cadmium	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Chromium	<0.042	0.042 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Cobalt	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Copper	1.30E-02	0.01 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Lead	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Manganese	<0.010	0.01 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Molybdenum	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Nickel	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Selenium	<0.010	0.01 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Silver	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Thallium	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Thorium	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Uranium	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Vanadium	<0.021	0.021 ug/m3	3/26/2024	3/26/2024
2/23/2024	vfw	221798360	Zinc	<0.042	0.042 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Aluminum	0.21	0.083 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Antimony	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Arsenic	4.00E-03	0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Barium	0.01	0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Beryllium	<0.0004	4.00E-04 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Cadmium	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Chromium	<0.042	0.042 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Cobalt	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Copper	7.90E-02	0.01 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Lead	5.00E-03	0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Manganese	<0.010	0.01 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Molybdenum	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Nickel	<0.002	0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Selenium	<0.010	0.01 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Silver	<0.002	0.002 ug/m3	3/26/2024	3/26/2024

2/26/2024	vfw	221798351	Thallium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Thorium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Uranium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Vanadium	<0.021		0.021 ug/m3	3/26/2024	3/26/2024
2/26/2024	vfw	221798351	Zinc		0.17	0.042 ug/m3	3/26/2024	3/26/2024
2/29/2024	vfw	221798361	Aluminum		0.22	0.083 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Antimony	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Arsenic		4.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Barium		9.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Beryllium	<0.0004		4.00E-04 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Cadmium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Chromium	<0.042		0.042 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Cobalt	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Copper		7.70E-02	0.01 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Lead		3.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Manganese	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Molybdenum	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Nickel	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Selenium	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Silver	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Thallium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Thorium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Uranium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Vanadium	<0.021		0.021 ug/m3	4/17/2024	4/18/2024
2/29/2024	vfw	221798361	Zinc		0.16	0.042 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Aluminum		0.2	0.083 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Antimony	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Arsenic		7.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Barium		5.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Beryllium	<0.0004		4.00E-04 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Cadmium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Chromium	<0.042		0.042 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Cobalt	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Copper		0.11	0.01 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Lead		5.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Manganese	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Molybdenum	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Nickel	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Selenium	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Silver	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Thallium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Thorium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Uranium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Vanadium	<0.021		0.021 ug/m3	4/17/2024	4/18/2024
3/3/2024	vfw	221798367	Zinc		0.2	0.083 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Aluminum		0.43	0.21 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Antimony	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Arsenic		2.20E-02	0.002 ug/m3	4/17/2024	4/18/2024

3/6/2024	vfw	221798375	Barium	1.60E-02	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Beryllium	<0.0004	4.00E-04 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Cadmium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Chromium	<0.042	0.042 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Cobalt	3.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Copper	0.35	0.052 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Lead	1.30E-02	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Manganese	1.40E-02	0.01 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Molybdenum	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Nickel	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Selenium	<0.010	0.01 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Silver	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Thallium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Thorium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Uranium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Vanadium	<0.021	0.021 ug/m3	4/17/2024	4/18/2024
3/6/2024	vfw	221798375	Zinc	0.63	0.21 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Aluminum	0.2	0.042 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Antimony	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Arsenic	1.10E-02	0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Barium	9.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Beryllium	<0.0004	4.00E-04 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Cadmium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Chromium	<0.042	0.042 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Cobalt	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Copper	0.16	0.01 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Lead	7.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Manganese	<0.010	0.01 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Molybdenum	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Nickel	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Selenium	<0.010	0.01 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Silver	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Thallium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Thorium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Uranium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Vanadium	<0.021	0.021 ug/m3	4/17/2024	4/18/2024
3/12/2024	vfw	221798366	Zinc	0.25	0.083 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Aluminum	0.17	0.042 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Antimony	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Arsenic	7.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Barium	4.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Beryllium	<0.0004	4.00E-04 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Cadmium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Chromium	<0.042	0.042 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Cobalt	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Copper	0.12	0.01 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Lead	4.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Manganese	<0.010	0.01 ug/m3	4/17/2024	4/18/2024

3/15/2024	vfw	221798371	Molybdenum	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Nickel	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Selenium	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Silver	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Thallium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Thorium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Uranium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Vanadium	<0.021		0.021 ug/m3	4/17/2024	4/18/2024
3/15/2024	vfw	221798371	Zinc		0.2	0.042 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Aluminum		0.14	0.042 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Antimony	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Arsenic	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Barium		3.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Beryllium	<0.0004		4.00E-04 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Cadmium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Chromium	<0.042		0.042 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Cobalt	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Copper		0.03	0.01 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Lead	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Manganese	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Molybdenum	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Nickel	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Selenium	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Silver	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Thallium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Thorium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Uranium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Vanadium	<0.021		0.021 ug/m3	4/17/2024	4/18/2024
3/18/2024	vfw	221798364	Zinc		4.70E-02	0.042 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Aluminum		0.14	0.042 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Antimony	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Arsenic		3.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Barium		6.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Beryllium	<0.0004		4.00E-04 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Cadmium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Chromium	<0.042		0.042 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Cobalt	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Copper		4.80E-02	0.01 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Lead		3.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Manganese	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Molybdenum	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Nickel	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Selenium	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Silver	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Thallium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Thorium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Uranium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	vfw	221798363	Vanadium	<0.021		0.021 ug/m3	4/17/2024	4/18/2024

3/21/2024	vfw	221798363	Zinc	7.50E-02	0.042 ug/m3	4/17/2024	4/18/2024
4/5/2024	vfw	221798356	Aluminum	6.4	0.5 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Antimony	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Arsenic	0.41	0.025 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Barium	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Beryllium	<0.025	0.025 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Cadmium	<0.025	0.025 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Chromium	<0.50	0.5 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Cobalt	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Copper	9.4	0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Lead	0.28	0.025 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Manganese	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Molybdenum	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Nickel	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Selenium	<0.025	0.025 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Silver	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Thallium	<0.025	0.025 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Thorium	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Uranium	<0.025	0.025 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Vanadium	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	vfw	221798356	Zinc	12	0.5 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Aluminum	1.4	0.5 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Antimony	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Arsenic	4.60E-02	0.025 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Barium	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Beryllium	<0.025	0.025 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Cadmium	<0.025	0.025 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Chromium	<0.50	0.5 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Cobalt	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Copper	0.8	0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Lead	4.10E-02	0.025 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Manganese	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Molybdenum	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Nickel	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Selenium	<0.025	0.025 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Silver	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Thallium	<0.025	0.025 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Thorium	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Uranium	<0.025	0.025 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Vanadium	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	vfw	221798357	Zinc	1.1	0.5 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Aluminum	2.8	0.5 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Antimony	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Arsenic	8.20E-02	0.025 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Barium	<0.25	0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Beryllium	<0.025	0.025 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Cadmium	<0.025	0.025 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Chromium	<0.50	0.5 ug/m3	5/21/2024	5/22/2024

4/11/2024	vfw	221798331	Cobalt	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Copper		1.6	0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Lead		6.70E-02	0.025 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Manganese	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Molybdenum	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Nickel	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Selenium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Silver	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Thallium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Thorium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Uranium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Vanadium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	vfw	221798331	Zinc		2.6	0.5 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Aluminum		2.1	0.5 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Antimony	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Arsenic		0.11	0.025 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Barium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Beryllium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Cadmium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Chromium	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Cobalt	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Copper		2.4	0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Lead		8.50E-02	0.025 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Manganese	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Molybdenum	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Nickel	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Selenium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Silver	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Thallium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Thorium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Uranium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Vanadium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	vfw	221798362	Zinc		3.1	0.5 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Aluminum		2.1	0.5 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Antimony	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Arsenic		9.10E-02	0.025 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Barium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Beryllium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Cadmium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Chromium	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Cobalt	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Copper		1.9	0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Lead		6.80E-02	0.025 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Manganese	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Molybdenum	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Nickel	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Selenium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Silver	<0.25		0.25 ug/m3	5/21/2024	5/22/2024

4/17/2024	vfw	221798355	Thallium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Thorium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Uranium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Vanadium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	vfw	221798355	Zinc		2.5	0.5 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Aluminum		2	0.5 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Antimony	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Arsenic		6.40E-02	0.025 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Barium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Beryllium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Cadmium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Chromium	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Cobalt	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Copper		1.3	0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Lead		5.30E-02	0.025 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Manganese	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Molybdenum	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Nickel	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Selenium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Silver	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Thallium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Thorium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Uranium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Vanadium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	vfw	221798373	Zinc		1.6	0.5 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Aluminum		5.9	0.5 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Antimony	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Arsenic		0.31	0.025 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Barium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Beryllium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Cadmium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Chromium	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Cobalt	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Copper		6.5	0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Lead		0.23	0.025 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Manganese	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Molybdenum	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Nickel	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Selenium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Silver	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Thallium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Thorium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Uranium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Vanadium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	vfw	221798354	Zinc		9.9	0.5 ug/m3	5/21/2024	5/22/2024
5/7/2024	vfw	221822236	Aluminum		2.4	1 ug/m3	7/9/2024	7/10/2024
5/7/2024	vfw	221822236	Antimony	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	vfw	221822236	Arsenic		3.30E-02	0.025 ug/m3	7/9/2024	7/9/2024

5/7/2024	vfw	221822236	Barium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	vfw	221822236	Beryllium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/7/2024	vfw	221822236	Cadmium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/7/2024	vfw	221822236	Chromium	<0.50		0.5 ug/m3	7/9/2024	7/9/2024
5/7/2024	vfw	221822236	Cobalt	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	vfw	221822236	Copper		0.71	0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	vfw	221822236	Lead		3.10E-02	0.025 ug/m3	7/9/2024	7/9/2024
5/7/2024	vfw	221822236	Manganese	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	vfw	221822236	Molybdenum	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	vfw	221822236	Nickel	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	vfw	221822236	Selenium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/7/2024	vfw	221822236	Silver	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	vfw	221822236	Thallium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/7/2024	vfw	221822236	Thorium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	vfw	221822236	Uranium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/7/2024	vfw	221822236	Vanadium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	vfw	221822236	Zinc		1	0.5 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Aluminum		2.7	2 ug/m3	7/9/2024	7/10/2024
5/10/2024	vfw	221822257	Antimony	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Arsenic		9.10E-02	0.025 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Barium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Beryllium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Cadmium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Chromium	<0.50		0.5 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Cobalt	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Copper		1.9	1 ug/m3	7/9/2024	7/10/2024
5/10/2024	vfw	221822257	Lead		7.10E-02	0.025 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Manganese	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Molybdenum	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Nickel	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Selenium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Silver	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Thallium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Thorium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Uranium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Vanadium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/10/2024	vfw	221822257	Zinc		3	2 ug/m3	7/9/2024	7/10/2024
5/16/2024	vfw	221822270	Aluminum		2.5	2 ug/m3	7/9/2024	7/10/2024
5/16/2024	vfw	221822270	Antimony	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/16/2024	vfw	221822270	Arsenic		2.70E-02	0.025 ug/m3	7/9/2024	7/9/2024
5/16/2024	vfw	221822270	Barium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/16/2024	vfw	221822270	Beryllium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/16/2024	vfw	221822270	Cadmium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/16/2024	vfw	221822270	Chromium	<0.50		0.5 ug/m3	7/9/2024	7/9/2024
5/16/2024	vfw	221822270	Cobalt	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/16/2024	vfw	221822270	Copper		0.6	0.25 ug/m3	7/9/2024	7/9/2024
5/16/2024	vfw	221822270	Lead		3.10E-02	0.025 ug/m3	7/9/2024	7/9/2024
5/16/2024	vfw	221822270	Manganese	<0.25		0.25 ug/m3	7/9/2024	7/9/2024

5/16/2024	vfw	221822270	Molybdenum	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/16/2024	vfw	221822270	Nickel	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/16/2024	vfw	221822270	Selenium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/16/2024	vfw	221822270	Silver	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/16/2024	vfw	221822270	Thallium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/16/2024	vfw	221822270	Thorium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/16/2024	vfw	221822270	Uranium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/16/2024	vfw	221822270	Vanadium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/16/2024	vfw	221822270	Zinc		1	0.5 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Aluminum	<5.0		5 ug/m3	7/9/2024	7/10/2024
5/19/2024	vfw	221822272	Antimony	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Arsenic		0.19	0.025 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Barium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Beryllium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Cadmium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Chromium	<0.50		0.5 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Cobalt	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Copper		4.1	2.5 ug/m3	7/9/2024	7/10/2024
5/19/2024	vfw	221822272	Lead		0.15	0.025 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Manganese	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Molybdenum	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Nickel	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Selenium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Silver	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Thallium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Thorium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Uranium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Vanadium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/19/2024	vfw	221822272	Zinc		6.7	5 ug/m3	7/9/2024	7/10/2024
5/22/2024	vfw	221822266	Aluminum	<10		10 ug/m3	7/9/2024	7/10/2024
5/22/2024	vfw	221822266	Antimony	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	vfw	221822266	Arsenic		0.36	0.025 ug/m3	7/9/2024	7/9/2024
5/22/2024	vfw	221822266	Barium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	vfw	221822266	Beryllium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/22/2024	vfw	221822266	Cadmium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/22/2024	vfw	221822266	Chromium	<0.50		0.5 ug/m3	7/9/2024	7/9/2024
5/22/2024	vfw	221822266	Cobalt	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	vfw	221822266	Copper		7.9	5 ug/m3	7/9/2024	7/10/2024
5/22/2024	vfw	221822266	Lead		0.27	0.025 ug/m3	7/9/2024	7/9/2024
5/22/2024	vfw	221822266	Manganese	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	vfw	221822266	Molybdenum	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	vfw	221822266	Nickel	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	vfw	221822266	Selenium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/22/2024	vfw	221822266	Silver	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	vfw	221822266	Thallium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/22/2024	vfw	221822266	Thorium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	vfw	221822266	Uranium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/22/2024	vfw	221822266	Vanadium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024

5/22/2024	vfw	221822266	Zinc		15	10 ug/m3	7/9/2024	7/10/2024
5/25/2024	vfw	221822197	Aluminum	<10		10 ug/m3	7/9/2024	7/10/2024
5/25/2024	vfw	221822197	Antimony	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/25/2024	vfw	221822197	Arsenic		0.3	0.025 ug/m3	7/9/2024	7/9/2024
5/25/2024	vfw	221822197	Barium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/25/2024	vfw	221822197	Beryllium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/25/2024	vfw	221822197	Cadmium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/25/2024	vfw	221822197	Chromium	<0.50		0.5 ug/m3	7/9/2024	7/9/2024
5/25/2024	vfw	221822197	Cobalt	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/25/2024	vfw	221822197	Copper		6.1	5 ug/m3	7/9/2024	7/10/2024
5/25/2024	vfw	221822197	Lead		0.23	0.025 ug/m3	7/9/2024	7/9/2024
5/25/2024	vfw	221822197	Manganese	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/25/2024	vfw	221822197	Molybdenum	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/25/2024	vfw	221822197	Nickel	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/25/2024	vfw	221822197	Selenium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/25/2024	vfw	221822197	Silver	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/25/2024	vfw	221822197	Thallium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/25/2024	vfw	221822197	Thorium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/25/2024	vfw	221822197	Uranium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/25/2024	vfw	221822197	Vanadium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/25/2024	vfw	221822197	Zinc		11	10 ug/m3	7/9/2024	7/10/2024
5/28/2024	vfw	221822246	Aluminum		3.7	2 ug/m3	7/9/2024	7/10/2024
5/28/2024	vfw	221822246	Antimony	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024	vfw	221822246	Arsenic		0.13	0.025 ug/m3	7/9/2024	7/9/2024
5/28/2024	vfw	221822246	Barium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024	vfw	221822246	Beryllium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/28/2024	vfw	221822246	Cadmium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/28/2024	vfw	221822246	Chromium	<0.50		0.5 ug/m3	7/9/2024	7/9/2024
5/28/2024	vfw	221822246	Cobalt	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024	vfw	221822246	Copper		2.6	1 ug/m3	7/9/2024	7/10/2024
5/28/2024	vfw	221822246	Lead		0.11	0.025 ug/m3	7/9/2024	7/9/2024
5/28/2024	vfw	221822246	Manganese	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024	vfw	221822246	Molybdenum	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024	vfw	221822246	Nickel	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024	vfw	221822246	Selenium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/28/2024	vfw	221822246	Silver	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024	vfw	221822246	Thallium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/28/2024	vfw	221822246	Thorium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024	vfw	221822246	Uranium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/28/2024	vfw	221822246	Vanadium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024	vfw	221822246	Zinc		4.3	2 ug/m3	7/9/2024	7/10/2024
5/31/2024	vfw	221822240	Aluminum		3.3	2 ug/m3	7/9/2024	7/10/2024
5/31/2024	vfw	221822240	Antimony	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/31/2024	vfw	221822240	Arsenic		8.20E-02	0.025 ug/m3	7/9/2024	7/9/2024
5/31/2024	vfw	221822240	Barium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/31/2024	vfw	221822240	Beryllium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/31/2024	vfw	221822240	Cadmium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/31/2024	vfw	221822240	Chromium	<0.50		0.5 ug/m3	7/9/2024	7/9/2024

5/31/2024	vfw	221822240	Cobalt	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/31/2024	vfw	221822240	Copper		1.8	1 ug/m3	7/9/2024	7/10/2024
5/31/2024	vfw	221822240	Lead		7.10E-02	0.025 ug/m3	7/9/2024	7/9/2024
5/31/2024	vfw	221822240	Manganese	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/31/2024	vfw	221822240	Molybdenum	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/31/2024	vfw	221822240	Nickel	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/31/2024	vfw	221822240	Selenium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/31/2024	vfw	221822240	Silver	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/31/2024	vfw	221822240	Thallium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/31/2024	vfw	221822240	Thorium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/31/2024	vfw	221822240	Uranium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/31/2024	vfw	221822240	Vanadium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/31/2024	vfw	221822240	Zinc		3	2 ug/m3	7/9/2024	7/10/2024
6/3/2024	vfw	221822271	Aluminum		3	2 ug/m3	7/9/2024	7/10/2024
6/3/2024	vfw	221822271	Antimony	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Arsenic		6.20E-02	0.025 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Barium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Beryllium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Cadmium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Chromium	<0.50		0.5 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Cobalt	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Copper		1.2	0.25 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Lead		5.20E-02	0.025 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Manganese	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Molybdenum	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Nickel	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Selenium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Silver	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Thallium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Thorium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Uranium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Vanadium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/3/2024	vfw	221822271	Zinc		2.2	2 ug/m3	7/9/2024	7/10/2024
6/6/2024	vfw	221822247	Aluminum		5.9	5 ug/m3	7/9/2024	7/10/2024
6/6/2024	vfw	221822247	Antimony	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/6/2024	vfw	221822247	Arsenic		0.23	0.025 ug/m3	7/9/2024	7/9/2024
6/6/2024	vfw	221822247	Barium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/6/2024	vfw	221822247	Beryllium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
6/6/2024	vfw	221822247	Cadmium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
6/6/2024	vfw	221822247	Chromium	<0.50		0.5 ug/m3	7/9/2024	7/9/2024
6/6/2024	vfw	221822247	Cobalt	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/6/2024	vfw	221822247	Copper		4.9	2.5 ug/m3	7/9/2024	7/10/2024
6/6/2024	vfw	221822247	Lead		0.18	0.025 ug/m3	7/9/2024	7/9/2024
6/6/2024	vfw	221822247	Manganese	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/6/2024	vfw	221822247	Molybdenum	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/6/2024	vfw	221822247	Nickel	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/6/2024	vfw	221822247	Selenium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
6/6/2024	vfw	221822247	Silver	<0.25		0.25 ug/m3	7/9/2024	7/9/2024

6/6/2024	vfw	221822247	Thallium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
6/6/2024	vfw	221822247	Thorium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/6/2024	vfw	221822247	Uranium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
6/6/2024	vfw	221822247	Vanadium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/6/2024	vfw	221822247	Zinc		8.7	5 ug/m3	7/9/2024	7/10/2024
6/9/2024	vfw	221822267	Aluminum		1.7	1 ug/m3	7/9/2024	7/10/2024
6/9/2024	vfw	221822267	Antimony	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Arsenic	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Barium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Beryllium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Cadmium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Chromium	<0.50		0.5 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Cobalt	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Copper		0.4	0.25 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Lead	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Manganese	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Molybdenum	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Nickel	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Selenium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Silver	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Thallium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Thorium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Uranium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Vanadium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
6/9/2024	vfw	221822267	Zinc		0.64	0.5 ug/m3	7/9/2024	7/9/2024

date	site	id	analyte	concentration	rl	unit	prep_date	analysis_date
2/15/2024	park	221798341	Aluminum	0.19		0.042 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Antimony	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Arsenic	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Barium	1.20E-02		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Beryllium	<0.0004	4.00E-04	ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Cadmium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Chromium	<0.042		0.042 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Cobalt	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Copper	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Lead	2.00E-03		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Manganese	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Molybdenum	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Nickel	2.00E-03		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Selenium	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Silver	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Thallium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Thorium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Uranium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Vanadium	<0.021		0.021 ug/m3	3/26/2024	3/26/2024
2/15/2024	park	221798341	Zinc	<0.042		0.042 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Aluminum	7.60E-02		0.042 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Antimony	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Arsenic	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Barium	4.00E-03		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Beryllium	<0.0004	4.00E-04	ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Cadmium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Chromium	<0.042		0.042 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Cobalt	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Copper	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Lead	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Manganese	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Molybdenum	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Nickel	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Selenium	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Silver	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Thallium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Thorium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Uranium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Vanadium	<0.021		0.021 ug/m3	3/26/2024	3/26/2024
2/17/2024	park	221798336	Zinc	<0.042		0.042 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Aluminum	0.16		0.042 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Antimony	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Arsenic	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Barium	9.00E-03		0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Beryllium	<0.0004	4.00E-04	ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Cadmium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Chromium	<0.042		0.042 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Cobalt	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Copper	1.10E-02		0.01 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Lead	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Manganese	<0.010		0.01 ug/m3	3/26/2024	3/26/2024

2/20/2024	park	221798340	Molybdenum	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Nickel		2.00E-03	0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Selenium	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Silver	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Thallium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Thorium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Uranium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Vanadium	<0.021		0.021 ug/m3	3/26/2024	3/26/2024
2/20/2024	park	221798340	Zinc	<0.042		0.042 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Aluminum		0.12	0.042 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Antimony	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Arsenic	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Barium		0.01	0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Beryllium	<0.0004		4.00E-04 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Cadmium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Chromium	<0.042		0.042 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Cobalt	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Copper	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Lead	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Manganese	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Molybdenum	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Nickel	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Selenium	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Silver	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Thallium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Thorium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Uranium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Vanadium	<0.021		0.021 ug/m3	3/26/2024	3/26/2024
2/23/2024	park	221798346	Zinc	<0.042		0.042 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Aluminum		0.15	0.042 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Antimony	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Arsenic	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Barium		1.10E-02	0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Beryllium	<0.0004		4.00E-04 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Cadmium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Chromium	<0.042		0.042 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Cobalt	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Copper	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Lead		3.00E-03	0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Manganese	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Molybdenum	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Nickel	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Selenium	<0.010		0.01 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Silver	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Thallium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Thorium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Uranium	<0.002		0.002 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Vanadium	<0.021		0.021 ug/m3	3/26/2024	3/26/2024
2/26/2024	park	221798337	Zinc	<0.042		0.042 ug/m3	3/26/2024	3/26/2024
2/29/2024	park	221798343	Aluminum		0.2	0.083 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Antimony	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Arsenic	<0.002		0.002 ug/m3	4/17/2024	4/18/2024

2/29/2024	park	221798343	Barium	9.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Beryllium	<0.0004	4.00E-04 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Cadmium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Chromium	<0.042	0.042 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Cobalt	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Copper	1.50E-02	0.01 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Lead	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Manganese	<0.010	0.01 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Molybdenum	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Nickel	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Selenium	<0.010	0.01 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Silver	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Thallium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Thorium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Uranium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Vanadium	<0.021	0.021 ug/m3	4/17/2024	4/18/2024
2/29/2024	park	221798343	Zinc	<0.042	0.042 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Aluminum	0.11	0.042 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Antimony	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Arsenic	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Barium	3.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Beryllium	<0.0004	4.00E-04 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Cadmium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Chromium	<0.042	0.042 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Cobalt	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Copper	1.10E-02	0.01 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Lead	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Manganese	<0.010	0.01 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Molybdenum	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Nickel	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Selenium	<0.010	0.01 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Silver	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Thallium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Thorium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Uranium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Vanadium	<0.021	0.021 ug/m3	4/17/2024	4/18/2024
3/3/2024	park	221798326	Zinc	<0.042	0.042 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Aluminum	0.2	0.042 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Antimony	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Arsenic	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Barium	0.01	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Beryllium	<0.0004	4.00E-04 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Cadmium	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Chromium	<0.042	0.042 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Cobalt	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Copper	<0.010	0.01 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Lead	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Manganese	0.01	0.01 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Molybdenum	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Nickel	<0.002	0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Selenium	<0.010	0.01 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Silver	<0.002	0.002 ug/m3	4/17/2024	4/18/2024

3/6/2024	park	221798333	Thallium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Thorium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Uranium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Vanadium	<0.021		0.021 ug/m3	4/17/2024	4/18/2024
3/6/2024	park	221798333	Zinc	<0.042		0.042 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Aluminum		4.30E-02	0.042 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Antimony	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Arsenic	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Barium		3.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Beryllium	<0.0004		4.00E-04 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Cadmium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Chromium	<0.042		0.042 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Cobalt	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Copper	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Lead	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Manganese	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Molybdenum	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Nickel	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Selenium	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Silver	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Thallium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Thorium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Uranium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Vanadium	<0.021		0.021 ug/m3	4/17/2024	4/18/2024
3/9/2024	park	221798332	Zinc	<0.042		0.042 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Aluminum		0.19	0.042 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Antimony	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Arsenic	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Barium		0.01	0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Beryllium	<0.0004		4.00E-04 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Cadmium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Chromium	<0.042		0.042 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Cobalt	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Copper		1.50E-02	0.01 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Lead		2.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Manganese		1.10E-02	0.01 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Molybdenum	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Nickel	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Selenium	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Silver	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Thallium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Thorium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Uranium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Vanadium	<0.021		0.021 ug/m3	4/17/2024	4/18/2024
3/12/2024	park	221798344	Zinc	<0.042		0.042 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Aluminum	<0.042		0.042 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Antimony	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Arsenic	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Barium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Beryllium	<0.0004		4.00E-04 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Cadmium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Chromium	<0.042		0.042 ug/m3	4/17/2024	4/18/2024

3/15/2024	park	221798327	Cobalt	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Copper	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Lead	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Manganese	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Molybdenum	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Nickel	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Selenium	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Silver	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Thallium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Thorium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Uranium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Vanadium	<0.021		0.021 ug/m3	4/17/2024	4/18/2024
3/15/2024	park	221798327	Zinc	<0.042		0.042 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Aluminum		0.18	0.042 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Antimony	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Arsenic	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Barium		9.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Beryllium	<0.0004		4.00E-04 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Cadmium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Chromium	<0.042		0.042 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Cobalt	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Copper		3.70E-02	0.01 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Lead		2.00E-03	0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Manganese	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Molybdenum	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Nickel	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Selenium	<0.010		0.01 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Silver	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Thallium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Thorium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Uranium	<0.002		0.002 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Vanadium	<0.021		0.021 ug/m3	4/17/2024	4/18/2024
3/21/2024	park	221798334	Zinc		5.20E-02	0.042 ug/m3	4/17/2024	4/18/2024
4/5/2024	park	221798350	Aluminum		0.78	0.5 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Antimony	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Arsenic	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Barium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Beryllium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Cadmium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Chromium	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Cobalt	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Copper	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Lead	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Manganese	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Molybdenum	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Nickel	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Selenium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Silver	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Thallium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Thorium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Uranium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/5/2024	park	221798350	Vanadium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024

4/5/2024	park	221798350	Zinc	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Aluminum		0.88	0.5 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Antimony	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Arsenic	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Barium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Beryllium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Cadmium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Chromium	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Cobalt	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Copper	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Lead	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Manganese	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Molybdenum	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Nickel	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Selenium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Silver	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Thallium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Thorium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Uranium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Vanadium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/8/2024	park	221798338	Zinc	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Aluminum	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Antimony	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Arsenic	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Barium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Beryllium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Cadmium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Chromium	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Cobalt	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Copper	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Lead	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Manganese	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Molybdenum	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Nickel	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Selenium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Silver	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Thallium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Thorium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Uranium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Vanadium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/11/2024	park	221798329	Zinc	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Aluminum	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Antimony	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Arsenic	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Barium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Beryllium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Cadmium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Chromium	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Cobalt	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Copper	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Lead	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Manganese	<0.25		0.25 ug/m3	5/21/2024	5/22/2024

4/14/2024	park	221798365	Molybdenum	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Nickel	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Selenium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Silver	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Thallium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Thorium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Uranium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Vanadium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/14/2024	park	221798365	Zinc	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Aluminum		2.9	0.5 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Antimony	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Arsenic	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Barium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Beryllium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Cadmium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Chromium	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Cobalt	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Copper	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Lead	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Manganese	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Molybdenum	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Nickel	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Selenium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Silver	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Thallium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Thorium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Uranium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Vanadium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/17/2024	park	221798328	Zinc	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Aluminum		2	0.5 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Antimony	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Arsenic	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Barium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Beryllium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Cadmium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Chromium	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Cobalt	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Copper	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Lead	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Manganese	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Molybdenum	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Nickel	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Selenium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Silver	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Thallium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Thorium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Uranium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Vanadium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/20/2024	park	221798339	Zinc	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Aluminum		3.1	0.5 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Antimony	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Arsenic	<0.025		0.025 ug/m3	5/21/2024	5/22/2024

4/23/2024	park	221798345	Barium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Beryllium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Cadmium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Chromium	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Cobalt	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Copper	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Lead	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Manganese	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Molybdenum	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Nickel	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Selenium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Silver	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Thallium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Thorium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Uranium	<0.025		0.025 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Vanadium	<0.25		0.25 ug/m3	5/21/2024	5/22/2024
4/23/2024	park	221798345	Zinc	<0.50		0.5 ug/m3	5/21/2024	5/22/2024
5/7/2024	park	221822222	Aluminum		2.9	2 ug/m3	7/9/2024	7/10/2024
5/7/2024	park	221822222	Antimony	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Arsenic	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Barium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Beryllium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Cadmium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Chromium	<0.50		0.5 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Cobalt	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Copper		0.39	0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Lead	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Manganese	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Molybdenum	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Nickel	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Selenium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Silver	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Thallium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Thorium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Uranium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Vanadium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/7/2024	park	221822222	Zinc		0.52	0.5 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Aluminum		2	1 ug/m3	7/9/2024	7/10/2024
5/10/2024	park	221822176	Antimony	<0.26		0.26 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Arsenic	<0.026		0.026 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Barium	<0.26		0.26 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Beryllium	<0.026		0.026 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Cadmium	<0.026		0.026 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Chromium	<0.51		0.51 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Cobalt	<0.26		0.26 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Copper	<0.26		0.26 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Lead	<0.026		0.026 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Manganese	<0.26		0.26 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Molybdenum	<0.26		0.26 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Nickel	<0.26		0.26 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Selenium	<0.026		0.026 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Silver	<0.26		0.26 ug/m3	7/9/2024	7/9/2024

5/10/2024	park	221822176	Thallium	<0.026		0.026 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Thorium	<0.26		0.26 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Uranium	<0.026		0.026 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Vanadium	<0.26		0.26 ug/m3	7/9/2024	7/9/2024
5/10/2024	park	221822176	Zinc	<0.51		0.51 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Aluminum		3.4	2 ug/m3	7/9/2024	7/10/2024
5/22/2024	park	221822239	Antimony	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Arsenic	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Barium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Beryllium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Cadmium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Chromium	<0.50		0.5 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Cobalt	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Copper	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Lead	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Manganese	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Molybdenum	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Nickel	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Selenium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Silver	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Thallium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Thorium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Uranium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Vanadium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/22/2024	park	221822239	Zinc	<0.50		0.5 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Aluminum		3.9	2.8 ug/m3	7/9/2024	7/10/2024
5/25/2024	park	221822196	Antimony	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Arsenic	<0.035		0.035 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Barium	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Beryllium	<0.035		0.035 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Cadmium	<0.035		0.035 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Chromium	<0.70		0.7 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Cobalt	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Copper	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Lead	<0.035		0.035 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Manganese	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Molybdenum	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Nickel	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Selenium	<0.035		0.035 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Silver	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Thallium	<0.035		0.035 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Thorium	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Uranium	<0.035		0.035 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Vanadium	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/25/2024	park	221822196	Zinc	<0.70		0.7 ug/m3	7/9/2024	7/9/2024
5/28/2024	park	221822248	Aluminum		2	1 ug/m3	7/9/2024	7/10/2024
5/28/2024	park	221822248	Antimony	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024	park	221822248	Arsenic	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/28/2024	park	221822248	Barium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024	park	221822248	Beryllium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/28/2024	park	221822248	Cadmium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/28/2024	park	221822248	Chromium	<0.50		0.5 ug/m3	7/9/2024	7/9/2024

5/28/2024 park	221822248	Cobalt	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024 park	221822248	Copper	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024 park	221822248	Lead	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/28/2024 park	221822248	Manganese	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024 park	221822248	Molybdenum	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024 park	221822248	Nickel	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024 park	221822248	Selenium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/28/2024 park	221822248	Silver	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024 park	221822248	Thallium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/28/2024 park	221822248	Thorium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024 park	221822248	Uranium	<0.025		0.025 ug/m3	7/9/2024	7/9/2024
5/28/2024 park	221822248	Vanadium	<0.25		0.25 ug/m3	7/9/2024	7/9/2024
5/28/2024 park	221822248	Zinc	<0.50		0.5 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Aluminum		2.6	1.4 ug/m3	7/9/2024	7/10/2024
5/31/2024 park	221822268	Antimony	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Arsenic	<0.035		0.035 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Barium	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Beryllium	<0.035		0.035 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Cadmium	<0.035		0.035 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Chromium	<0.70		0.7 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Cobalt	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Copper	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Lead	<0.035		0.035 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Manganese	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Molybdenum	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Nickel	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Selenium	<0.035		0.035 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Silver	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Thallium	<0.035		0.035 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Thorium	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Uranium	<0.035		0.035 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Vanadium	<0.35		0.35 ug/m3	7/9/2024	7/9/2024
5/31/2024 park	221822268	Zinc	<0.70		0.7 ug/m3	7/9/2024	7/9/2024